

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1-10 (Cancelled)

11. (Currently Amended) A method for deriving a class prior to run-time having a first given name, comprising:

making an independent copy of an entire tree of the class, the class including an instance of a generic attribute class and an instance of a generic method class, the instance of the generic method class including an instance of a generic parameter class,

storing the copy of the tree, and

changing said first given name in order to assign a second name to the stored copy, the independent copy including a table specifying at least one parent of the independent copy and all ascendants of the independent copy, if any.

12. (Previously Presented) A method according to claim 11, wherein the copy is made through a serialization of the tree representing said class by copying the tree into a memory, and storing the copy of the tree consists of copying it again into memory.

13. (Previously Presented) A method according to claim 11, wherein the derivation is an inheritance of the class.

14. (Previously Presented) A method according to claim 11, wherein the derivation is an instantiation of the class.

15. (Cancelled)

16. (Previously Presented) A method according to claim 11, further comprising automatically generating the class by means of a tool having at least one dialog box.

17. (Previously Presented) A method according to claim 16, further comprising implementing the derivation by a computer designer, and using a command interface of a computer system used for control of the computer system by a user.

18. (Previously Presented) A method according to claim 12, wherein the derivation is an inheritance of the class.

19. (Previously Presented) A method according to claim 12, wherein the derivation is an instantiation of the class.

20. (Cancelled).

21. (Previously Presented) A method according to claim 12, further comprising automatically generating the class by means of a tool having at least one dialog box.

22. (Previously Presented) A method according to claim 13, further comprising automatically generating the class by means of a tool having at least one dialog box.

23. (Previously Presented) A method according to claim 14, further comprising automatically generating the class by means of a tool having at least one dialog box.

24. (Cancelled).

25. (Previously Presented) A method according to claim 21, further comprising implementing the derivation by a computer designer, and using a command interface of a computer system used for control of the computer system by a user.

26. (Previously Presented) A method according to claim 22, further comprising implementing the derivation by a computer designer, and using a command interface of a computer system used for control of the computer system by a user.

27. (Previously Presented) A method according to claim 23, further comprising implementing the derivation by a computer designer, and using a command interface of a computer system used for control of the computer system by a user.

28. (Cancelled).

29. (Currently Amended) A computer system configured to implement a method for deriving a class prior to run-time having a first given name, ~~the~~ comprising:

means for making an independent copy of an entire tree of the class, the class including an instance of a generic attribute class and an instance of a generic method class, the instance of the generic method class including an instance of a generic parameter class,

means for storing the copy of the tree, and

means for changing said first given name in order to assign a second name to the stored copy, the independent copy including a table specifying at least one parent of the independent copy and all ascendants of the independent copy, if any.

30. (Previously Presented) A computer system according to claim 29, wherein the copy is made through a serialization of the tree representing said class by copying the tree into a memory, and storing the copy of the tree consists of copying it again into memory.

31. (Previously Presented) A computer system according to claim 29, wherein the derivation is an inheritance of the class.

32. (Previously Presented) A computer system according to claim 29, wherein the derivation is an instantiation of the class.

33. (Cancelled)

34. (Previously Presented) A computer system according to claim 29, the method further comprising automatically generating the class by means of a tool having at least one dialog box.

35. (Previously Presented) A computer system according to claim 29, the method further comprising implementing the derivation by a computer designer, and using a command interface of a computer system used for control of the computer system by a user.

36. (Currently Amended) A computer system according to claim 29, the method further including a command interface[, ] for implementing the method.

37. (Previously Presented) A computer system according to claim 29, wherein the command interface includes a design module for implementing the method by a designer and further including a console for the control of the computer system by a user.